

CHRONIC DISEASE MANAGEMENT PROGRAMME

Diabetes
Hypertension
Lipid Disorders
Stroke
Asthma
COPD

MINISTRY OF HEALTH
SINGAPORE

Copyright © HPB B E 534-08
March 2008

Handbook for Healthcare Professionals 2008
(Includes instructions on use of Medisave for CDMP)

CONTENTS

CHAPTER **ONE**: 1
The Chronic Disease Management Programme (CDMP)
- Overview- Update on use of Medisave for CDMP
- Inclusion of Asthma and COPD into the CDMP

CHAPTER **TWO**: 4
The Clinical Programme

CHAPTER **THREE**: 35
Registration and Medisave Use

CHAPTER **FOUR**: 47
Capture and Submission of Clinical Data

CHAPTER **FIVE**: 53
User Manual for e-Service Clinical Data Submission

CHAPTER **SIX**: 75
Frequently Asked Questions

The Chronic Disease Management Programme (CDMP)

1 Overview- Update on the use of Medisave for CDMP

1.1 ***"Disease Management*** is a system of coordinated health care interventions and communications for populations with conditions in which patient self-care efforts are significant." (Definition from Disease Management Association of America).

1.2 The Medisave for Chronic Disease Management Programme was introduced at the end of 2006 and involves: (a) evidence-based structured Disease Management Programmes (DMPs) and (b) option for patients to draw on their Medisave to help reduce out-of-pocket payments for outpatient treatment required in the management of their chronic diseases.

1.3 On 1 Oct 2006, CDMP was implemented for Diabetes. This was extended to three additional diseases in Jan 2007, namely Hypertension, Lipid Disorders and Stroke.

1.4 Starting with just over 7,000 patients in Oct 2006, the CDMP has grown and as of Dec 2007, there are about 91,000 patients in this Programme, with an annual Medisave withdrawal of about S$15 million in 2007.

1.5 One of the key requirements of the CDMP scheme is the submission of clinical data for outcome measures. This is important to the Ministry of Health (MOH) as it allows for the evaluation of clinical outcomes with the goal of improving overall health of the population. It is also equally important to the individual GP as it provides a clinical quality improvement tool to allow for self evaluation. From the first quarter 2008 onwards, registered clinics will receive feedback on the outcome reports regularly .

1.6 As of 27 Nov 2007, 94.4% of claims made (Jan to Jun 2007), had clinical data submitted. This is encouraging as the preliminary results on clinical outcomes of diabetic patients managed under CDMP have shown to be

comparable to international benchmarks. MOH is pleased with the progress of the scheme.

2 Inclusion of Asthma and COPD into the CDMP

2.1 From Apr 2008, Asthma and Chronic Obstructive Pulmonary Disease (COPD) will be included into the CDMP. An estimated 188,000 more Singaporeans will benefit from using their Medisave to manage Asthma and COPD. This is expected to bring about better health outcomes for patients who will have better control of their conditions with close supervision from their doctors.

2.2 It is recognised that the treatment of chronic diseases is costly when administered collectively over a long period. However, this Programme will help reduce out-of-pocket payments and also reduce the barriers for patients to seek medical treatment.

2.3 With the implementation of the CDMP, GPs will be able to take on a greater role in the management of chronic diseases of their patients.

2.4 With effect from Apr 2008, the use of Medisave for CDMP will apply to the six medical conditions listed below:

a) Diabetes Mellitus (DM)
b) Hypertension (HPT)
c) Lipid Disorders
d) Stroke
e) Asthma
f) COPD

2.5 This Handbook presents the essential components of the use of Medisave for CDMP for Asthma and COPD. It covers the following details:

Chapter Two	• The clinical aspects of the Programme, including how to enrol patients into the appropriate DMP. • The essential components of the DMPs. • Clinical guidelines for referrals between primary and tertiary care.
Chapter Three	• The data submission requirements for participation in the Programme. • The plan for clinical quality improvement.
Chapter Four	• The registration process for clinics and doctors who have yet to participate and are interested in the Programme. • Guidelines for use of Medisave for chronic disease outpatient treatment.
Chapter Five	• User Manual for e-Service Clinical Data Submission. • Guide on how to use the Clinical Indicators Data Collection (CIDC) e-Service for the submission of data to MOH.
Chapter Six	• Frequently asked questions.

The Clinical Programme

1 Enrolling Patients in the Programme

1.1 Clinics registered under the Medisave for CDMP are required to provide all the essential care components detailed in each DMP. The basis for diagnosis of the target chronic diseases should conform to the prevailing MOH Clinical Practice Guidelines.

1.2 Patients with Asthma or COPD will be enrolled into the respective DMPs.

1.3 For patients who are already enrolled under the existing DMPs (i.e: Diabetes Mellitus, Hypertension, Lipid Disorders or Stroke) but who also suffer from Asthma or COPD, they should, in addition, be enrolled into the Asthma or COPD DMP. (For enrolment of patients with multiple chronic diseases, please refer to Annex 2-A page 22. For details of the existing four CDMPs and their essential care components, please refer to Annexes 2-B, 2-C, 2-D and 2-E pages 23 to 31.)

1.4 Patients will be able to use Medisave to pay for management of all these six chronic diseases (existing rules and regulations for Medisave claims apply). Clinical outcomes will be tracked for all the DMPs that the patient had been enrolled into.

2 Disease Management Programmes (DMPs)

2.1 The care components in each DMP are recommended by the Clinical Advisory Committee appointed by MOH. These care components are recommended based on current available medical evidence.

2.2 Some clinics have found it administratively easier to package their services for their patients. Packages should contain the care components detailed in the DMPs. Additional components, if any, can only be offered as add-ons.

2.3 Tables 2.1 to 2.2 show the essential care components for Asthma and COPD DMPs. Details regarding each of the essential care components can also be found in the MOH Clinical Practice Guidelines, available at http://www.hpp.moh.gov.sg/HPP/DOCTORS_Home.html

(A) Asthma Disease Management Programme

Table 2.1: Essential Components of Asthma Disease Management Programme

	Essential Components	Minimum Recommended Frequency (per year)	Remarks
A1	ACT Score (see Annexes 2-F and 2-G)	3-4 monthly	
A2	Self Management Education (Written Asthma Action Plan)	3-4 monthly	Provide/ review patient's Written Asthma Action Plan and educate patient on what to do when Asthma symptoms develop
A3	Inhaler Technique	6 monthly	Assessment and review on correct inhaler technique
A4	Smoking Assessment	6 monthly	Assessment on smoking habits and provide counselling for current smokers to quit

(B) COPD Disease Management Programme

Table 2.2: Essential Components of COPD Disease Management Programme

	Essential Components	Minimum Recommended Frequency (per year)	Remarks
C1	Weight or BMI	Annual	Annually or as clinically indicated.
C2	Influenza Vaccination	Annual	
C3	Inhaler Technique	Annual	Assessment and review on correct inhaler technique.
C4	Smoking Assessment	Annual	Assessment on smoking habits and provide counselling for current smokers to quit.
C5	Spirometry*	At or soon after diagnosis and subsequently as clinically indicated	

* copy of Spirometry test result (e.g. done at hospital) is acceptable

Notes

- Medisave cannot be used for purchase of oxygen tanks, nebulisers or other home nursing equipment.
- For COPD patients who rent devices for Long Term Oxygen Therapy, they would be subject to a separate scheme with a withdrawal limit of $75 per month. These claims would have to be submitted separately by the clinic, not with the claims for the chronic outpatient treatment.

- Medisave can be used for physiotherapy, occupational therapy and speech therapy or day rehabilitation as clinically indicated and ordered by the doctor but not for home meal delivery, transport or other non-medical aspects of care.
- Please see Chapter Three (page 35) for more details on what Medisave can cover.

In the event that a patient has Asthma or COPD and other diseases like Diabetes Mellitus, Hypertension or Lipid disorders, please refer to the Annexes 2-B to 2-E at the end of the chapter for the essential care components of the corresponding DMP.

3 Patient Education and Monitoring

3.1 As part of the national effort under this Programme, the Health Promotion Board has prepared the following materials:

a) Patient Education Booklets (Asthma and COPD)
b) Patient Record Book

3.2 These materials will be distributed to all clinics for the doctors to use in patient education. Specialist Outpatient Clinics (SOCs) and Polyclinics will also use the same materials to facilitate integration of care across the various care settings.

3.3 The Patient Record Book enables the patient to keep track of his/her condition so as to achieve the agreed treatment target set together with his/her doctor. It is also an important record if the patient needs to see other doctors for related conditions.

3.4 It will be useful to explain the contents of the patient education booklet to the patient (or parents and caregiver), and help those who need assistance in filling up the record book. This will help enhance doctor-patient relationship.

4 Clinical Guidelines for Continuing Care

4.1 To encourage appropriate "siting of care" for patients with chronic diseases, MOH has worked with relevant specialists to propose uniform continuing care guidelines:

a) To identify suitable patients who are stable and can be managed in the community by their family physician rather than in a tertiary setting; or
b) To identify patients who are at risk and may benefit from specialist's opinion.

4.2 There are a total of four sets of guidelines for the following chronic diseases:

a) Asthma
b) COPD
c) Diabetes Mellitus
d) Cardiac diseases (Heart Failure and Ischemic Heart Disease)

4.3 These clinical guidelines are for referral of patients with the above chronic diseases between SOCs and primary care clinics. These guidelines aim to facilitate integration of care across the various levels so that patients are able to continue and receive the appropriate management of their conditions.

(A) Asthma

(i) Clinical guideline for referral from Specialist to Primary Care for patients with Asthma

This guideline suggests some parameters that could help identify patients who may be suitable to be cared for by his / her family physician in the community. Patients with all of the following criteria

1 to 5(a) OR with criterion 5(b) could be considered for direct discharge to or shared care with a family physician.

		Yes	No
1.	**Non high-risk** Do not have a history of near fatal Asthma.	☐	☐
2.	**Well controlled** Have "ACT scores consistently ≥ 20 in the last 3-6 months", (by MOH CPG definition) while on long-term controller medication.	☐	☐
3.	**Stable medication** Are on the lowest dose of controller for at least 3 months.	☐	☐
4.	**For children ≤ 16 years old** a) Have achieved Asthma control (GINA 2006 / MOH CPG). b) Are on low to moderate dose of medications with no recent exacerbations (ICS dose < 400 mcg per day). c) Are conversant with medication administration. d) Are educated on action plan and trigger avoidance. e) Have concomitant allergies that are evaluated and controlled.	☐	☐
5.	**Patient factors** a) Have been counselled on their condition (including the use of Written Asthma Action Plan) and the importance of compliance with management/ care. OR b) Are deemed not to benefit from further specialist care in the optimisation of their condition.	☐	☐

(ii) Clinical guideline for referral from Primary to Specialist Care for patients with Asthma

This guideline suggests some parameters that could help family physicians identify the patients who may benefit from specialist review. Patients with ANY of the following criteria could be considered for referral to the appropriate specialist for shared or follow-up care.

		Yes	No
1.	**Co-morbidity**	☐	☐
	a) Have concurrent heart failure, which may complicate Asthma management. b) Have psychiatric disease or multiple psychosocial problems. c) Have concurrent active Gastro-Esophageal Reflux Disease (GERD) which may mimic Asthma.		
2.	**Well controlled condition**	☐	☐
	a) Have probable Occupational Asthma requiring further diagnostic work-up. b) Have atypical signs and symptoms such as unilateral wheeze, to exclude other tracheobronchial pathology.		
3.	**Poor control & high-risk**	☐	☐
	a) Have history of near-fatal Asthma requiring intubation and ventilation. b) Have failed to achieve Asthma control despite optimal treatment: patients who are currently on or have recently stopped using daily oral steroids. c) Have severe Asthma requiring step 4 care and yet experiencing exacerbation despite compliance to treatment. d) Are poorly controlled asthmatics who have had ≥ 2 hospitalisations for Asthma and/or requires > 2 courses of burst therapy with oral steroids in the past year.		

(B) COPD

(i) Clinical guideline for referral from Specialist to Primary Care for patients with COPD

This guideline suggests some parameters that could help identify patients who may be suitable to be cared for by his / her family physician in the community. Patients with all the following criteria 1 to 4(a) OR with criterion 2-4(b) could be considered for direct discharge to or shared care with a family physician in the first year with the aim of long-term follow-up if suitable.

		Yes	No
1.	**Mild to moderate COPD** Have FEV1 >50% predicted.	☐	☐
2.	**Well controlled condition** Generally not more than two exacerbations a year and compliant to medication.	☐	☐
3.	**Stable course disease** The course of the disease is not rapidly progressive - no change in dyspnoea scale or - weight loss <10% in last 6 months or <5% in last 1 month.	☐	☐
4.	**Patient factors** a) Have been counselled on their condition and the importance of compliance with management/ care. OR b) Are deemed not to benefit from further specialist care in the optimisation of their condition.	☐	☐

(ii) Clinical guideline for referral from Primary to Specialist Care for patients with COPD

This guideline suggests some parameters that can help family physicians identify patients who may benefit from specialist review. Patients with ANY of the following criteria could be considered for referral to the specialist for shared or follow-up care.

		Yes	No
1.	Have FEV1<50% predicted.	☐	☐
2.	Have frequent exacerbations despite compliance to treatment (e.g. two or more a year).	☐	☐
3.	Have rapidly progressive course of disease.	☐	☐
4.	Have developed new symptoms (e.g. haemoptysis) or new physical signs (e.g. cyanosis, peripheral oedema).	☐	☐

(C) Diabetes Mellitus

(i) Clinical guideline for referral from Specialist to Primary Care for patients with Diabetes Mellitus

This guideline suggests some parameters that could help identify Type II diabetic patients who may be suitable to be cared for by his / her family physician in the community.

		Yes	No
1.	**Glycemic control**	☐	☐
	Have reasonable glycemic control as defined by HbA_{1c} ≤ 8 % on two occasions AND require minimal adjustment of oral medications and/or insulin treatment to achieve optimal target. (Patient should also not have been admitted for hypoglycemia*, DKA or HHNK in the last 6 months).		
2.	**Risk factors**	☐	☐
	a) Blood pressure Have BP ≤ 140mmHg systolic and/or ≤ 90 mmHg diastolic (in the last 6 months) AND require minimal adjustment of antihypertensive drugs to achieve optimal BP target ≤ 130/80 mmHg. b) Lipid profile Have LDL- C ≤ 3.4 mmol/l AND require minimal adjustment of lipid lowering drugs to achieve optimal lipid control or improving trend.		
3.	**Diabetic complications**	☐	☐
	a) Do not have diabetic complications on screening (in the last 12 months). OR b) Have stable diabetic complications with risk factors not requiring active and/or intensive management by specialists and/or specialised services.		
4.	**Stable co-morbidities**	☐	☐
	(In the last 6-12 months) Have NOT required active and/or intensive management by specialists and/or specialised services (e.g. Stroke, Heart failure).		

* refers to hypoglycaemia where assistance from another person is required.

However, patients deemed not to benefit from further specialist care in the optimisation of their condition could be considered for direct discharge to or shared care with a family physician.

(ii) Clinical guideline for referral from Primary to Specialist Care for patients with Diabetes Mellitus

This guideline suggests some parameters that could help family physicians identify patients who may benefit from specialist review. Patients with ANY of the following criteria could be considered for referral to the appropriate specialist for shared or follow-up care.

		Yes	No
1.	Are adults with Type 1 Diabetes Mellitus, unless achieving treatment targets or referred by specialists.	☐	☐
2.	Are children and adolescents with Diabetes Mellitus (regardless of type of Diabetes Mellitus), unless treatment targets achieved or referred by specialists.	☐	☐
3.	Are pregnant women or those planning pregnancy who require preconception intensive glycemic control.	☐	☐
4.	Are individuals with or at risk for recurrent severe hypoglycemia*, DKA** or HHNK*** regardless of HbA_{1c} level.	☐	☐
5.	Have failed to reach individualised targets set (e.g. over a 6-month period) for blood glucose, blood pressure and/or lipid levels despite best efforts at optimising treatment and where referral to tertiary care will benefit patient.	☐	☐
6.	Are high risk patients who may benefit from intensive control of blood glucose, blood pressure, lipids and/or other risk factors (e.g. to retard progression of diabetic retinopathy or nephropathy).	☐	☐

	Yes	No
7. Have diabetic complications requiring active management by specialists or specialised services. For example: a) Patients should be referred to nephrologist if any of the following condition is present: i. Deteriorating serum creatinine or creatinine clearance despite optimal blood pressure control, over a period of 3-6 months. ii. There is unexplained hematuria. iii. Persistent/increasing proteinuria despite optimal ACE/ARB therapy over 3-6 months. iv. Difficulty achieving physician-patient determined blood pressure targets. b) Patients should be referred to ophthalmologist if any of the following condition is present: i. Based on Visual Symptoms - Sudden and / or unexplained blurring or loss of vision. - Sudden onset of multiple floaters with or without loss of vision. - Red, painful eyes with or without loss of vision. - Sudden visual field defects. (NB:Referrals should not be based on the level of vision alone as serious diabetic retinopathy and good visual acuity can co-exist.) ii. Based on Retinal Photography Findings - Unreadable photographs where the retinal features are obscured by	☐	☐

	Yes	No
the presence of cataracts / poorly dilating pupils. - Enlarged and/or unequal optic disc cupping where the presence and diagnosis of glaucoma cannot be excluded from photographs alone. - For accurate staging of diabetic retinopathy by a full dilated-pupil retinal examination when features of diabetic retinopathy are seen. - When features of potentially sight-threatening diabetic retinopathy (severe non-proliferative, proliferative, preretinal ,vitreous haemorrhage and maculopathy (macular oedema) are detected. - Other retinal features or photographic findings requiring further evaluation and as advised by experienced retinal photograph readers.	☐	☐
8. Have co-morbid medical conditions requiring active management by specialists or specialised services.	☐	☐

* refers to hypoglycaemia where assistance from another person is required.
** Diabetic Ketoacidosis
*** Hyperglycemic Hyperosmolar Nonketotic Coma

(D) Cardiac Diseases (Heart Failure and Ischemic Heart Disease)

(i) Clinical guideline for referral from Specialist to Primary Care for patients with Heart Failure

This guideline suggests some parameters that could help identity patients who may be suitable to be cared for by his / her family physician in the community. Patients with all the following criteria 1 to 6(a) OR with criterion 6(b) could be considered for direct discharge to or shared care with a family physician.

		Yes	No
1.	**Stable clinical status**	☐	☐
	a) Are in NYHA class I or II, with no change or improvement in functional class in last 6 months. b) Are euvolemic on physical examination (stable weight, no peripheral oedema, no crepitations in lung fields). c) Have no further plan for revascularisation or device therapy. d) Are not in heart transplant program.		
2.	**Stable medications**	☐	☐
	a) Have the following medications up titrated to maximum therapeutic dose as tolerated by patient: i. ACE Inhibitors/ Angiotensin Receptor Blockers ii. Beta-blocker b) Have no change in dosages for 2 visits. c) Have no adverse drug reaction. d) Have been assessed and offered Warfarin therapy appropriately and dose have been stable for last 3 months (for patients with Atrial Fibrillation).		
3.	**Stable risk factors**	☐	☐
	a) Blood pressure Have BP < 140/90mmHg or improving trend over last 6 months. b) Lipid Profile Have LDL < 2.6 mmol/L or improving trend over last 6 months.		

		Yes	No
	c) Diabetes Have reached targets as per DM guidelines (see above).	☐	☐
4.	**Heart Failure complications**	☐	☐
	a) Do not have admission for recurrent Heart Failure in past 6 months. b) Do not have significant symptomatic arrhythmia.		
5.	**Co-morbidities**	☐	☐
	a) Have stable renal function and electrolytes for past 6 months. b) Do not have active co-morbidity that can significantly impact prognosis of Heart Failure. (e.g. unresolved anaemia, thyroid disease).		
6.	**Patient factors**	☐	☐
	a) Have been counselled on their condition and the importance of compliance with management/ care. OR b) Are deemed not to benefit from further specialist care in the optimisation of their condition.		

(ii) Clinical guideline for referral from Primary to Specialist Care for patients with Heart Failure

This guideline suggests some parameters that could help family physicians identify patients who may benefit from specialist review. Patients with ANY of the following criteria could be considered for referral to the appropriate specialist for shared or follow-up care.

		Yes	No
1.	Have persistent increase in weight despite up-titration of diuretic over 3-5 days (>1 kg/d or >4 kg/wk).		
2.	Have increase in serum creatinine of more than 30% compared to baseline.		
3.	Have significant decline in functional class: new class IV or jump more than 1 class (I to III, II to IV).		
4.	Have new onset or worsening angina.		
5.	Have uncontrolled blood pressure, persistently >160/90.		
6.	Have new medical condition, which if left untreated, will impact on Heart Failure prognosis.		

(iii) Clinical guideline for referral from Specialist to Primary Care for patients with Ischemic Heart Disease

This guideline suggests some parameters that could help identity patients who may be suitable to be cared for by his / her family physician in the community. Patients with all the following criteria 1 to 4(a) OR with criterion 4(b) could be considered for direct discharge to or shared care with a family physician.

		Yes	No
1.	**Stable IHD patients**		
	a) Are post-MI patients: after follow-up for 1 yr b) Are post-PCI patients: after follow-up for 1 yr		

		Yes	No
	c) Are post-CABG patients: after follow-up for 2 yrs d) Are patients where no revascularisation and no further adjustment of medicine are needed after 2-3 visits.		
2.	**Stable risk factors**	☐	☐
	a) Blood pressure Have blood pressure <140/90 mmHg or improving trend over the last 6 months b) Lipid profile Have LDL <2.6 mmol/L or improving trend over the last 6 months c) Diabetes Have reached targets as per DM guidelines (see above)		
3.	**IHD complications**	☐	☐
	a) Have no deterioration in symptom / effort tolerance for two visits. b) Have no hospitalisation for angina, arrhythmia or Heart Failure in last the 6 months.		
4.	**Patient factors**	☐	☐
	a) Have been counselled on their condition and the importance of compliance with management/ care. OR b) Are deemed not to benefit from further specialist care in the optimisation of their condition.		

(iv) Clinical guideline for referral from Primary to Specialist Care for patients with Ischemic Heart Disease

This guideline suggests some parameters that could help family physicians identify patients who may benefit from specialist review. Patients with ANY of the following criteria could be considered for referral to the appropriate specialist for shared or follow-up care.

		Yes	No
1.	Have new symptom/signs of heart failure / worsening of Heart Failure.	☐	☐
2.	Have recurrent angina, increase in frequency or severity of angina.	☐	☐
3.	Have new onset Atrial Fibrillation.	☐	☐
4.	Have Hypertension that are difficult to manage: labile BP, refractory to multiple medications, develop side effects to multiple medications.	☐	☐
5.	Have deteriorating renal function.	☐	☐

Enrolling patients with multiple chronic diseases



Notes

Patients with:

(i) Diabetes only or Diabetes with one or more of these:
Hypertension / Lipid Disorders / Stroke ---> Diabetes DMP

(ii) Hypertension only or Hypertension with one or both of these:
Lipid Disorders / Stroke ---> Hypertension DMP

(iii) Lipid Disorders only or Lipid Disorders with Stroke ---> Lipid Disorders DMP

(iv) Stroke only ---> Stroke DMP

Annex 2-B

(I) Diabetes Disease Management Programme

Table A2-B.1: Essential Components of Diabetes Disease Management Programme

	Essential Components	Recommended Frequency *	Remarks
D1	Glycated Haemoglobin (HbA_{1c})	At risk: 6 monthly High risk: 3-4 monthly	
D2	Blood Pressure Measurement	At risk: 3-4 monthly High risk: as clinically indicated	
D3	BMI and Weight Assessment	At risk: 3-4 monthly High risk: as clinically indicated	
D4	Lipid Profile	At risk: annual High risk: as clinically indicated	
D5	Eye Assessment	At risk: annual High risk: as clinically indicated	Assess for visual acuity AND Assess for retinopathy
D6	Nephropathy Assessment	At risk: annual High risk: as clinically indicated	Assess for urine albumin: creatinine ratio AND Serum creatinine
D7	Foot Assessment	At risk: annual High risk: as clinically indicated	Assess for peripheral neuropathy, peripheral arterial disease, bone, joint, skin and nail abnormalities.

	Essential Components	Recommended Frequency *	Remarks
D8	Cardiac Assessment	At risk: as clinically indicated High risk: as clinically indicated	Evaluate risk factors and management ECG for adults- at baseline and subsequently when clinically indicated.
D9	Self-management Education	At risk: annual High risk: as clinically indicated	Provide patient with a patient monitoring booklet and explain its use. Self-management education should include nutrition counselling, weight management, exercise, smoking cessation, medication compliance, foot care, self- blood glucose monitoring for insulin treated and high risk non-insulin treated patients.
D10	Medical Consultation and Follow-up of Abnormalities Detected	As clinically indicated	

* include a baseline assessment for all components

Notes

- An "at risk" individual may be defined as one who is stable and meeting targets of control as defined in MOH CPG.

- A "high risk" individual may be defined as:
  1. One whose control has been unstable and failing to meet targets in the past 12 months.
  2. One already with established diabetic complications.
  3. One with psychosocial problems (including alcohol or substance abuse) that complicate management.

- Medisave cannot be used for purchase of glucometer, glucometer strips, blood pressure monitoring equipment, wheelchair, prosthesis or other home nursing equipment.

- For D5 to D8, patients who are already suffering from respective organ complications may be assessed differently. For example, patients with retinopathy on regular eye follow-up would be assessed by the ophthalmologist. Primary physician need only to ensure that patients are compliant to eye follow-up. Patients who already have early nephropathy may require other forms of assessment (e.g. 24-hour urinary protein) as detailed in Diabetes Mellitus CPG.

In the event that a patient has Diabetes and Stroke, include the following assessments S1 and S2.

Table A2-B.2: Additional Care Components for Patient with Diabetes and Stroke

	Essential Components	Recommended Frequency *	Remarks
S1	Thromboembolism risk assessment	Annually	Clinical evaluation including Atrial Fibrillation, cardiac murmurs and need for anti-thrombotic therapy
S2	Rehabilitation need assessment	As clinically indicated	

* include a baseline assessment for all components

Notes

- Medisave can be used for physiotherapy, occupational therapy, speech therapy or day rehabilitation as clinically indicated and ordered by the doctor but not for home meal delivery, transport or other non-medical aspects of care for Stroke patients.

Annex 2-C

(II) Hypertension Disease Management Programme

Table A2-C.1: Essential Components of Hypertension Disease Management Programme

	Key Components	Recommended Frequency *	Remarks
H1	Blood Pressure Measurement	Every 3-6 monthly or as clinically indicated	
H2	BMI and Weight Assessment	Annually or as clinically indicated	
H3	Fasting Lipid Profile, Fasting Blood Glucose, Serum Electrolyte, Urea and Creatinine, Urinalysis and ECG	At or soon after diagnosis and as clinically indicated	
H4	ECG	At or soon after diagnosis** and subsequently as clinically indicated	
H5	Self-management Education	At diagnosis and regular intervals	Provide patient with a patient monitoring booklet and explain its use. Self-management education should include nutrition counselling, weight management, exercise, smoking cessation and medication compliance.
H6	Medical Consultation and Follow-up of Abnormalities Detected	As clinically indicated	

* include a baseline assessment for all components
** copy of ECG (e.g. done at hospital on discharge) is acceptable

Notes

- Medisave cannot be used for purchase of blood pressure monitoring equipment, wheelchair or other home nursing equipment.

In the event that a patient has Hypertension and Stroke, include the following assessments S1 and S2.

Table A2-C.2: Additional Care Components for Patient with Hypertension and Stroke

	Essential Components	Recommended frequency *	Remarks
S1	Thromboembolism Risk Assessment	Annually	Clinical evaluation including Atrial Fibrillation, cardiac murmurs and need for anti-thrombotic therapy
S2	Rehabilitation Need Assessment	As clinically indicated	

* include a baseline assessment for all components

Notes

- Medisave can be used for physiotherapy, occupational therapy, speech therapy or day rehabilitation as clinically indicated and ordered by the doctor but not for home meal delivery, transport or other non-medical aspects of care for Stroke patients.

(III) Lipid Disorders Disease Management Programme

Table A2-D.1: Essential Components of Lipid Disorders Disease Management Programme

Annex 2-D

	Essential Components	Recommended Frequency *	Remarks
L1	Lipids Check	*For those on drug therapy*, Every 6-12 monthly or as indicated *For those not on drug therapy and who have achieved the LDL goals*, lipids check can be done every 1 to 3 years	Fasting lipids.
L2	Self-management Education	At diagnosis and regular intervals according to risk level	All patients must be risk stratified as recommended in Lipids CPG Provide patient with a patient monitoring booklet and explain its use. Self-management education should include nutrition counselling, weight management, exercise, smoking cessation and medication compliance.
L3	Medical Consultation and Follow-up of Abnormalities Detected	As clinically indicated	

* include a baseline assessment for all components

Notes

- Medisave cannot be used for purchase of wheelchair or other home nursing equipment.

In the event that a patient has Lipid disorders and Stroke, include the following assessments S1 and S2.

Table A2-D.2: Additional Care Components for Patient with Lipid Disorders and Stroke

	Essential Components	Recommended Frequency *	Remarks
S1	Thromboembolism Risk Assessment	Annually	Clinical evaluation including Atrial Fibrillation, cardiac murmurs and need for anti-thrombotic therapy.
S2	Rehabilitation Need Assessment	As clinically indicated	

* include a baseline assessment for all components

Notes

- Medisave can be used for physiotherapy, occupational therapy, speech therapy or day rehabilitation as clinically indicated and ordered by the doctor but not for home meal delivery, transport or other non-medical aspects of care for Stroke patients.

Annex 2-E

(IV) Stroke Disease Management Programme

Table A2-E.1: Essential Components of Stroke Disease Management Programme
This Programme is for patients who are not concurrently on other Disease Management Programmes.

	Essential Components	Recommended Frequency *	Remarks
S1	Clinical Thromboembolism Risk Assessment	Annually	Clinical evaluation including atrial fibrillation, cardiac murmurs, fasting glucose and need for antithrombotic therapy.
S2	Rehabilitation Need Assessment	Baseline and as clinically indicated.	
S3	Blood Pressure Measurement	Baseline and 6 monthly.	
S4	Lipid Profile	Baseline At least 6-12 monthly.	Fasting lipids.
S5	Self-management Education	Annually or as clinically indicated.	Provide patient with a patient monitoring booklet and explain its use. Self-management education should include nutrition counselling, weight management, exercise, smoking cessation and medication compliance.
S6	Medical Consultation and Follow-up of Abnormalities Detected.	As clinically indicated.	

* include a baseline assessment for all components

Notes

- Medisave cannot be used for purchase of blood pressure monitoring equipment, wheelchair or other home nursing equipment.

- Medisave can be used for physiotherapy, occupational therapy, speech therapy or day rehabilitation as clinically indicated and ordered by the doctor but not for home meal delivery, transport or other non-medical aspects of care for Stroke patients.

In the event that a patient has Stroke and other diseases like Diabetes Mellitus, Hypertension or Lipid Disorders, please refer to the corresponding DMP.

Annex 2-F

Asthma Control Test for Patients (12 years old and above)

Asthma Control Test (ACT)

1. In the past 4 weeks, how much of the time did your asthma keep you from getting as much done at work, school or at home? **score**

All of the time	Most of the time	Some of the time	A little of the time	None of the time	
1	2	3	4	5	

2. During the past 4 weeks, how often have you had shortness of breath?

More than once a day	Once a day	3 to 6 times a week	Once or twice week	Not at all	
1	2	3	4	5	

3. During the past 4 weeks, how often did your asthma symptomes (wheezing, coughing, shortness of breath, chest tightness or pain) wake you up at night, or earlier than usual in the morning?

4 or more nights a week	2 or 3 nights a week	once a week	once or twice	Not at all	
1	2	3	4	5	

4. During the past 4 weeks, how often have you used your rescue inhaler or nebulizer medication (such as albuterol)?

3 or more times per day	1 or 2 times per day	2 or 3 times per week	Once a week or less	Not at all	
1	2	3	4	5	

5. How would you rate your asthma control during the past 4 weeks?

Not controlled at all	Poorly controlled	Somewhat controlled	Well controlled	Completely controlled	
1	2	3	4	5	

patient total score

Annex 2-G

Childhood Asthma Control Test (for children 4-11 years old)


Childhood Asthma Control Test for children 4 to 11 years old.
Know the score.
This test will provide a score that may help your doctor determine if your child's asthma treatment plan is working or if it might be time for a change.
Score
Please follow the steps below to answer the Childhood Asthma Control Test:
1 Please let your child respond to the first four questions (1 to 4). If your child needs help reading or understanding the questions, you may help but please let your child select the response.
Complete the remaining three questions (5-7) on your own and without letting your child's response influence your answers.
Please take note that there are no right or wrong answers.
2 Write the number of each answer in the score box provided.
3 Add up each the score box for the total.
4 Bring your test along to discuss with your doctor about your child's total score.
Please let your child answer these following questions:
Question 1
How is your asthma condition today?
0 Very Bad
1 Bad
2 Good
3 Very Good
Question 2
How much of a problem is your asthma when you run, exercise or play sports?
0 It's a big problem. I can't do what I want to do.
1 It's a problem and I don't like it.
2 It's a little problem but it's okay.
3 It's not a problem.
Question 3
Do you cough because of your asthma?
0 Yes, all of the time.
1 Yes, most of the time.
2 Yes, some of the time.
3 No, none of the time.
Question 4
Do you wake up during the night because of your asthma?
0 Yes, all of the time.
1 Yes, most of the time.
2 Yes, some of the time.
3 No, none of the time.
Please answer the following questions on your own:
Question 5
During the last 4 weeks, on average, how many days per month did your child have any daytime asthma symptoms?
5 Not at all
4 1-3 days/mo
3 4-10 days/mo
2 11-18 days/mo
1 19-24 days/mo
0 Everyday
Question 6
During the last 4 weeks, on average, how many days per month did your child wheeze during the day because of asthma?
5 Not at all
4 1-3 days/mo
3 4-10 days/mo
2 11-18 days/mo
1 19-24 days/mo
0 Everyday
Question 7
During the last 4 weeks, on average, how many days per month did your child wake up during the night because of asthma?
5 Not at all
4 1-3 days/mo
3 4-10 days/mo
2 11-18 days/mo
1 19-24 days/mo
0 Everyday
Total Score:

Registration and Medisave Use

1 Policy on Medisave Use

1.1 The primary purpose of Medisave is to help Singaporeans afford costly hospitalisations. For chronic diseases, early detection and good management help patients avoid subsequent costly hospitalisation. To bring about better health outcomes, MOH has decided to allow Medisave to cover selected chronic diseases.

1.2 Nonetheless, to prevent over-consumption and over-servicing, three safeguards have been put in place under the Medisave for Chronic Disease Management Programme:

a) **Deductible:** A deductible of $30 will be set on each outpatient bill, i.e. bills below $30 will not be eligible for Medisave claims.

b) **Co-payment:** A co-payment of 15 percent on each outpatient bill will be set, in excess of the deductible, and

c) **Annual withdrawal limit:** An annual outpatient withdrawal limit of $300 per Medisave account.

> Example:
> For a bill of $130, a patient will need to pay $45 out-of-pocket. This is because the patient pays the first $30 of the bill and 15 percent of the remainder ($100, in this case). The remaining $85 can be claimed from Medisave.

2 Clinics Currently Participating in the Programme

2.1 For clinics already registered on the Programme, there is no need to register for the new conditions. These clinics will be able to help patients who are suffering from Asthma and COPD to claim Medisave for their outpatient treatments.

2.2 The Medisave withdrawal limits for patients under the Programme remain as $300 per Medisave account, per calendar year, regardless of the number of chronic diseases that they are currently being treated for.

2.3 The transaction cost for each Medisave claim has been brought down to $3.36[1] with $2.61 charged by CPF Board for every Medisave account processed and the remaining $0.75 charged by NCS[2] for MediClaim system usage.

2.4 The guidelines on the use of Medisave for the new conditions are updated in Section 4 of this Chapter.

2.5 The claim submission process detailed in Section 5 of this Chapter remains unchanged.

2.6 Similar to the earlier approved conditions, Medisave claims for Asthma and COPD will be audited as well. Please note that in case the Medisave claim includes complications due to the approved chronic disease, the doctor would need to document clearly the causal relationship between the approved chronic condition and the complication which arose from it.

3 Registration Process for Medisave for Chronic Disease Management Programme

Clinics That Wish to Participate on the Programme

3.1 To be on the Programme, both the clinic / medical institution and its doctors have to register with and be accredited by MOH. Upon registration, the doctors can then make Medisave claims for their patients.

---

[1] *The transaction cost of $3.36 assumes 1 Medisave account is used. Figures include 7% GST charges.*

[2] *National Computer Systems (NCS) is the company appointed by MOH to maintain the MediClaim system. The MediClaim system is an online e-service for clinics/medical institutions to submit Medisave claims to CPF Board for processing.*

3.2 An outline of the registration and accreditation process is provided in Table 3.1 (page 46)

Registration of Clinic / Medical Institution with MOH

3.3 To join the Programme, you will need to fulfil the following criteria:

a) Be able to make Medisave claims for patients through the online MediClaim system[3].
b) Sign a Deed of Indemnity with CPF Board.
c) Be able to submit Clinical Quality data to MOH.

3.4 To make claims for patients through the online MediClaim system, clinics / medical institutions need:

a) MediClaim User account.

b) Security Token Card (non-refundable cost of $203.30. (inclusive of 7% GST))

c) A Personal Computer / Laptop with the following configuration.
   (i) CPU Pentium III and above.
   (ii) Memory (RAM) Minimum of 256MB.
   (iii) Operating System Windows XP.
   (iv) Browser Internet Explorer 6.0.
   (v) Internet connection.

d) GIRO Arrangement
   (i) GIRO arrangement with CPF Board for Medisave payments to be credited into the clinic / medical institution's bank account.
   (ii) GIRO arrangement with CPF Board for the payment of Medisave claims handling charges.

[3] *Clinics which are not ready to make claims online can approach Service Bureaus to help them with their paper claims in the interim. The details of these Service Bureaus can be found on the MOH website.*

(iii) GIRO arrangement with NCS for the payment of MediClaim usage charges.

e) Training to process Medisave claims.

Forms to Complete

3.5 Clinics / Medical institutions interested in joining the Programme will need to submit the following forms to MOH:

a) Application Form for Clinics to Participate in the Medisave for Chronic Disease Management Programme (by MOH)
b) Direct Authorisation Credit Form (by CPF Board)
c) GIRO Form (MediClaim charges by NCS)
d) GIRO Form (Medisave charges by CPF Board)

These can be downloaded from the MOH website at http://www.moh.gov.sg/mohcorp/userprofile.aspx?id=healthprofessionalserviceprovider.

3.6 Clinic / Institution staff who will be making Medisave claims are required to attend a free half-day training session on Medisave claims process, Medisave use guidelines and use of the MediClaim system. Clinics / Institutions are also required to sign the Deed of Indemnity with CPF Board.

3.7 Clinics / Medical institutions participating in the Programme will be subjected to:

a) Clinical quality checks conducted by MOH on patients who make Medisave claims through the clinics/institutions.
b) Professional medical audits conducted by MOH on Medisave claims.
c) Operational audits conducted by CPFB on Medisave claims.

Registration of Doctor with MOH

3.8 Doctors practising at accredited clinics / medical institutions need to register with MOH to participate in the Medisave for Chronic Disease Management Programme before they can make Medisave claims for their patients.

3.9 Interested doctors should complete and submit the "Application Form for Medical Practitioners to Participate in the Medisave for Chronic Disease Management Programme". Registration of doctors in the Programme needs to be renewed every 2 years.

3.10 Registered doctors will be audited by MOH and CPF Board on the clinical outcomes and Medisave claims of their patients

4 Guidelines on Medisave Use for Chronic Disease Outpatient Treatments

4.1 Participating clinics / medical institutions and doctors have to comply with these guidelines on Medisave use for chronic disease outpatient treatments:

4.2 Medisave use is allowed only for the outpatient treatments of the following chronic diseases and / or its associated complications:

a) Diabetes Mellitus
b) Hypertension
c) Lipid Disorders
d) Stroke
e) Asthma
f) COPD

4.3 Medisave claims will be accepted only if

a) The patient is diagnosed to have one of the 6 chronic diseases listed above.

b) The patient has been enrolled into their respective DMP (see chapter 2 for details).
c) The claim must be related to the essential care components in the management of that specific DMP or for the treatment of the disease and its complications. The doctor in-charge must clearly document this causal relationship or link between the disease and its treatment.
d) In this regard, Medisave claims will generally not be allowed for sleeping pills, slimming pills or erectile dysfunction drugs used for lifestyle purposes.
e) Under certain equivocal circumstances, the auditors will seek further clarification with the prescribing doctor and decide on acceptance of claim on a case-by-case basis.

4.4 Only doctors and clinics / medical institutions which are Medisave accredited and participating in the Programme can make Medisave claims for patients.

4.5 Doctors must certify (on the Medisave Authorisation Form) that patients they make Medisave claims for are suffering from one or more of the approved chronic diseases and treatment is related to that chronic condition.

MEDISAVE MAY BE USED FOR

i. Management of the patient based on the care components in the respective Disease Management Programme.
ii. Medical consultations primarily for the approved chronic conditions under the Programme.
iii. Relevant investigations (including laboratory and radiological) for the evaluation of the disease or its complications.
iv. Prescribed drugs and nursing care for the management of the approved conditions or their complications.
v. Physiotherapy, occupational and speech therapy for the rehabilitation of the patient.

4.6 The Table below provides a guideline on what can be used for Medisave claims. The doctor is expected to exercise clinical judgment and discretion when making claims.

4.7 Anything that is not listed in the above Table is not claimable by Medisave under this Programme. Some examples are (list is not exhaustive):

a) Conditions not related to the approved chronic diseases (e.g. cancer).

b) Tests prior to diagnosis of disease (e.g. OGTT), or unrelated to the conditions (e.g. Pap smear).

c) Purchase or rental of nebulisers, wheelchair, prosthesis or other home nursing equipment.

d) Employment of caregiver or nursing aids.

e) Alternative medicine (e.g. acupuncture).

4.8 Eligible patients can use their own and immediate family members' Medisave for payment of their outpatient treatments. Immediate family members refer to the spouse, parent or child of the patient. Grandparents who are Singapore citizens or PRs, can also use their grandchildren's Medisave. Siblings are not considered immediate family members.

4.9 The amount of Medisave that can be used is subject to the 3 conditions mentioned in paragraph 1.2 of this Chapter:

a) **Deductible:** A deductible of $30 apply for each outpatient bill, i.e. bills below $30 will not be eligible for Medisave claims.

b) **Co-payment:** A co-payment of 15 percent on each outpatient bill also apply, in excess of the deductible, and

c) **Annual withdrawal limit:** An annual outpatient withdrawal limit of $300 per Medisave account.

Scenario 1
Mr Lim is a retiree with 2 working children. He is suffering from COPD and has Medisave from his earlier years of working. Mr Lim can make use of a maximum of $900 of Medisave from his and his children's Medisave accounts (total of 3 accounts) every year to pay for his outpatient treatments.

Scenario 2
The grandmother and parents of Ms Tan Hao Sun are suffering from Diabetes Mellitus. However they have no Medisave. Ms Tan can make use of a total of $300 (annual withdrawal limit) of her own Medisave every year to pay for the outpatient treatments of all 3 of her elders.

Scenario 3
Mdm Haslina is a working adult and has no children. She has Hypertension and Asthma and can use up to $300 (annual withdrawal limit) from her Medisave account to pay for treatment related to Hypertension and Asthma.

4.10 Patients may have employer benefits and outpatient insurance. Employer benefits and outpatient insurance can be used to offset the deductible and co-payment cash requirements.

4.11 In cases where only part of the chronic disease outpatient treatment bill is payable by employer companies and the patient chooses to use Medisave for the balance of the bill, clinics would:

a) Follow the current arrangements it has with the employer to seek payment and

b) Help patients submit the Medisave claim.

4.12 Bills should be paid using employers' benefits and any relevant insurance that the patient may have first, before claiming from Medisave.

4.13 A patient who wishes to use multiple Medisave accounts to pay for his / her outpatient treatment expenses in 1 claim may use up to a maximum of 10 Medisave accounts. However the costs for the processing of such claims are higher:

No. of Payers	Transaction Cost [4]	No. of Payers	Transaction Cost [4]
1 payer	$3.36	6 payers	$16.41
2 payers	$5.97	7 payers	$19.02
3 payers	$8.58	8 payers	$21.64
4 payers	$11.19	9 payers	$24.25
5 payers	$13.80	10 payers	$26.86

5 Process of Making a Medisave Claim

5.1 A typical process of making a Medisave claim for a patient is described below:

A) What to convey to patient or immediate family members who wish to use Medisave

i. The treatment components
ii. The cost of treatment
iii. Estimated amount that can be claimed from Medisave
iv. Out-of-pocket cash payment that the patient need to make
v. Clinic's policy on transaction costs

*[4] Transaction cost is computed based on the following formula: $0.75 + ($2.61 * (No. of Medisave payers)). Figures are inclusive of 7% GST.*

B) Administrative Procedure

i. Each Medisave account holder will need to sign a Medisave Authorisation Form (MAF) to authorise the CPF Board to deduct his / her Medisave savings for the treatment of the patient. The authorisation can be made on a per treatment basis or over a period of months. The authorisation will stand until revoked in writing.

ii. Clinic / Medical institution staff should witness the identity and the signature by the account holder. Clinic/ Institution staff should also verify relationships stated in the MAF, where possible.

iii. Clinics / Medical institutions are to submit the Medisave claims electronically to CPF Board for processing via the MediClaim System.

C) Claim Process

i. Payment will be made daily to Medisave-accredited medical institutions via InterBank Giro (IBG) on the 3rd working day after the approval date of the Medisave claims.

ii. Currently, the transaction cost for each Medisave claim is $3.36[5] - $2.61 is charged by CPF Board for every Medisave account processed and the remaining $0.75 is charged by NCS[6] for MediClaim system usage. The transaction charges will be collected on a monthly basis via InterBank Giro (IBG). Patient's Medisave cannot be used to cover the processing fees. Should medical institutions decide to pass on this cost to the patient, the description of this item in a patient's bill should be generically termed, e.g. "administrative costs".

---

[5] The transaction cost of $3.61 assumes 1 Medisave account is used. Figures include 7% GST charges.

[6] National Computer Systems (NCS) is the company appointed by MOH to maintain the MediClaim system. The MediClaim system is an online eservice for clinics/medical institutions to submit Medisave claims to CPF Board for processing.

iii. Where a clinic / institution has made an overclaim or unauthorised deduction from Medisave, it will have to refund the amount deducted to the Medisave account. The clinic / institution will have to pay the interest lost by individuals if it is the clinic's / institution's error. The interest will be computed at the prevailing CPF interest at the time of the adjustment.

iv. For clinics which are unable to make claims electronically via the MediClaim system, they could, in the interim, approach Service Bureaus to help them with their paper submissions. Contact details of these Service Bureaus are available on the MOH website (www.moh.gov.sg).

6 Audit

6.1 The CPF Board may carry out regular audits of the participating clinic's / medical institution's records for Medisave claims. There are 2 types of audits for the Medisave claims:

a) Operational audit:
This audit looks at the operational aspect of making Medisave claims such as completion of Medisave Authorisation Forms, etc

b) Professional audit:
This audit looks at treatments administered for each claimed treatment to determine if it is related to the proclaimed diagnosis

6.2 Prior notice will be given to identify the cases to be audited. The following documents are required for the audit:

a) Hard copies of Claim Forms submitted electronically
b) Medisave Authorisation Forms
c) Itemised bills / Payment records (detailing consultation charges, individual drug charges, DRP , nursing charges, other services)

d) Photocopies of identification papers (where necessary)
e) Case records of the patient for the visits which were claimed. For claims on the complications of the approved chronic diseases, doctors have to document the causal relationship. For packages, please indicate dates of visits which are claimed.
f) Investigation / Test reports where available e.g. HbA_{1c} results, lipid results.
g) Prescription records
h) Evidence supporting diagnosis e.g. documentation in case records or laboratory reports

6.3 Clinics / Medical institutions or doctors found guilty of wrong claims may be required to refund the amount to the affected Medisave accounts. Each time the doctor is found making wrong claims for his patients, he / she will be issued warning letters. His / Her Medisave privilege may be suspended upon repeated infringements.

Table 3.1: Registration and Accreditation Process
(Medisave for Chronic Disease Management Programme)


Steps
Clinics submit application form to MOH
Interested clinics submit documents to CPF Board and NCS
Joint training session (process, IT and Medisave guidelines) for clinics
MOH approves the participation of the clinics
NCS configures the system setup & issues token cards
CPF Board prepares Deed of Indemnity with clinics
MOH issues letters of approval to clinics
Doctors submit accreditation forms to MOH
Effective date of participation in the Programme by clinics

Capture and Submission of Clinical Data

1 Commencement of Clinical Data Collection

1.1 For patients who have been enrolled in the Chronic Disease Management Programme (CDMP), data collection will commence at the patient's first visit to the doctor for the chronic condition.

1.2 The clinical data fields required for the two new chronic disease conditions, Asthma and Chronic Obstructive Pulmonary Disease (COPD), are shown below :

(A) Asthma

DATA TO BE ENTERED ONCE ONLY (EXCLUDING UPDATES)			
Patient Details		**Asthma Treatment**	
Patient Name:		Requires controller (such as inhaled steroids)	Y / N
NRIC / FIN:			
DOB (DD/MM/YYYY):			
Gender: Male ( ), Female ( )			
Current smoker: Yes/No			
Year started smoking (YYYY):			
DATA TO BE ENTERED ONCE A YEAR		**DATA TO BE ENTERED ONCE EVERY 6 MONTHS**	
Inhaler Technique Assessment	Y / N	ACT score	
Smoking Assessment	Y / N		

(B) COPD

DATA TO BE ENTERED ONCE ONLY (EXCLUDING UPDATES)		
Patient Details		
Patient Name:	Current smoker: Yes/No	
NRIC / FIN:	Year started smoking (YYYY):	
DOB (DD/MM/YYYY):	Height:	
Gender: Male ( ), Female ( )		

DATA TO BE ENTERED ONCE A YEAR	
Inhaler Technique Assessment	Y / N
Smoking Assessment	Y / N
Influenza Vaccination	Y / N
Weight measurement	

1.3 The clinical data fields required for all the six chronic conditions in CDMP are summarised in the template, please see Annex 4-A (Page 51-52).

1.4 The quality of patient care for the six chronic conditions will be evaluated according to whether the relevant process and care components have been met as listed below:

Chronic Conditions	Care Components Per Year[7]
Diabetes Mellitus	• Two blood pressure measurements. • Two bodyweight measurements. • Two hemoglobin A_{1c} (HbA_{1c}) tests. • One serum cholesterol level (LDL-C) test. • One smoking habit assessment. • One eye assessment. • One foot assessment. • One nephropathy screening test.

Chronic Conditions	Care Components per Year[7]
Hypertension	• Two blood pressure measurements. • One bodyweight measurement. • One smoking habit assessment.
Lipid Disorders	• One serum cholesterol level (LDL-C) test. • One smoking habit assessment.
Stroke	• Two blood pressure measurements. • One serum cholesterol level (LDL-C) test. • One smoking habit assessment. • One clinical thromboembolism risk assessment.
Asthma	• One inhaler technique assessment. • One smoking habit assessment. • Two Asthma Control Test (ACT)[8] scores.
COPD	• One inhaler technique assessment • One smoking habit assessment. • One bodyweight measurement. • One influenza vaccination.

2 Collection and Submission of Clinical Data

2.1 The collection of clinical data can be carried out by:

a) Manually recording the clinical data on a hardcopy template (Annex 4-A, page 51-52). Please note that for submission purposes the data will subsequently have to be keyed in via the online e-Service, which was introduced by MOH in Jan 2007.

[7] 'per year' refers to 12 months from the first visit of the patient for the chronic conditions.
[8] This is only applicable for patients aged 4 years and above. For patients aged 4 to < 12 years, please use the Childhood ACT, and for those aged 12 years and above, the ACT.

b) Recording the clinical data directly onto electronic records through the Clinic Management System installed for electronic submission of clinical data for Medisave enrolled patients.

3 Deadlines for Submission of Clinical Data to MOH

3.1 Submission of clinical data is an essential component of the Programme.

3.2 To avoid backlogs in submitting clinical data, it is encouraged that the clinical data is submitted as soon as possible, during or immediately after the patient's clinic visit.

3.3 Clinics are allowed to accumulate patient records for submission in batches. However for batch submissions, regular (e.g. weekly or monthly) submissions are encouraged.

3.4 When using the electronic Clinic Management System to capture data during the consultation, the system may allow submission of data automatically at the end of each patient consultation.

3.5 The deadline for the clinical data submission will be fourteen days after the end of each quarter. As an example, for the quarter from Jan to Mar 2008, the deadline for data submission will be 14 Apr 2008. To facilitate this, MOH has provided each GP clinic, via the e-Service, daily online updates on the list of patients for whom data submission remains outstanding. In addition, a reminder letter will be issued at the last month of each quarter to alert the clinic on the data submission deadline.

Data Fields Required for Clinical Data Submission

Patient Details			**Medical History**	**Yes (√)**
Patient Name:			Hypertension	
NRIC/FIN:			Hyperlipidemia	
DOB (dd/mm/yy): (/ /)			Cerebrovascular Accident (CVA)	
Gender: Male ( ), Female ( ) Race: Chinese( ), Malay( ), Indian( ), Others( )			Coronary heart disease (CHD) Diabetes (DM)	
Height (m):			DM retinopathy	
Current Smoker: Yes / No			DM nephropathy	
Year started smoking (yyyy):			DM Foot Complications	
			Asthma	
			Chronic Obstructive Pulmonary Disease (COPD)	

	Glucose	Lipids	Blood Pressure		Lifestyle	Smoking
Date of visit (dd/mm/yy)	HbA1c (%)	LDL (mg/dL) / (mmol/L)	Systolic BP	Diastolic BP	Weight (kg)	Average no.cigs/day
/ / / / / /						

Annex 4-A

Year of diagnosis (yyyy)		Diabetes Treatment	Yes (√)	Date started (yyyy)
		Oral medications		
		Insulin		
		Hypertension Treatment	**Yes (√)**	**Date started (yyyy)**
		Oral medications		
		Hyperlipidemia Treatment	**Yes (√)**	**Date started (yyyy)**
		Oral medications		
		Asthma Treatment	**Yes (√)**	**Date started (yyyy)**
		Requires controller		

Annual Assessment							
DM			Stroke	Asthma & COPD		Asthma	COPD
Eye (√)	Foot (√)	Nephropathy (√)	Thromboembolism (√)	Inhaler Technique Assessment (√)	Smoking Assessment (√)	2 ACT Scores (√)	Influenza Vaccination (√)

User Manual for e-Service Clinical Data Submission

1 Introduction

1.1 Purpose

a) The manual serves as a guide on how to use the Clinical Indicators Data Collection (CIDC) e-Service for the submission of data to MOH as part of CDMP.

b) The manual is intended for the hospital/clinic staff who are doing clinical data and indicators submission. The staff should already be familiar with web browsing and the MediClaim e-Service.

1.2 System Requirements

In order to use the e-Service, an Internet-enabled computer with the following is required:

i. Hardware Requirements

The minimum recommended hardware configuration is:

- Pentium III MHz Processor with 256MB RAM
- At least 200 MB free hard disk space

ii. System Software Requirements

- Windows XP
- Internet Explorer 6.0 and above
- Broadband Internet Connection

iii. Other Requirements

- RSA token card
- MediClaim user account

2 Getting Started

2.1 User Account

a) You will be using your MediClaim system user account to access the e-Service. The MediClaim account is the same one used for the submission of claims.

b) If you do not have an account for the claims submission, you will need to approach MOH for the creation of a new account.

2.2 Accessing the e-Service.

a) The web URL to access the MediClaim system is: https://access.medinet.gov.sg. Refer to the MediClaim user manual for details on login procedures.

Screen 1 – MediClaim login screen

b) Upon successful login to the MediClaim system, you will be able to see the Clinical Indicators data collection e-Service in the left hand menu as shown on Screen 2 below. All users with access to the Chronic Disease Claim Form e-Service will have access to the Clinical Indicators Data Collection e-Service.

c) Click on the menu to display the functions available:



Screen 2 – Menu

(i) Submission is used to submit a new report.
(ii) Search is used to retrieve submitted reports.

3 Clinical Indicators Report Submission

3.1 This function is used to submit clinical data on patients who have used their Medisave under the CDMP. A new submission can be made each time there is additional indicator information for the patient either on a per visit basis or consolidated over a few visits. All submissions are distinct and will be used for analysis by MOH on a cumulative basis.

3.2 To submit a new set of clinical data for a patient to MOH, click on the "Submission" sub-menu. The following screen will appear.


Compulsory fields marked with asterisk*
Select patient ID Type
Enter patient NRIC/FIN
Clinical Indicators > Submission
New Submission:
Patient ID Type:*
SINGAPORE PINK / BLUE NRIC
Patient NRIC/FIN:*
(as entered in Medisave claim form)
Diseases:*
Diabetes
Hypertension
Lipid Disorder
Stroke
Asthma
COPD
Next
Click to go to Clinical Indicators Form in Screen 4
Select the medical condition(s) applicable to the patient, more than one medical condition may be chosen, if indicated, according to patient's chronic condition.

Condition	Care Components Per Year
Diabetes mellitus	• Two blood pressure measurements • Two bodyweight measurements • Two haemoglobin A1c (HbA1c) tests • One serum cholesterol level (LDL-C) test • One smoking habit assessment • One eye assessment • One foot assessment • One nephropathy screening test
Hypertension	• Two blood pressure measurements • One bodyweight measurement • One smoking habit assessment
Lipid Disorder	• One serum cholesterol level (LDL-C) test • One smoking habit assessment
Stroke	• Two blood pressure measurements • One serum cholesterol level (LDL-C) test • One smoking habit assessment • One clinical thromboembolism risk assessment
Asthma	• One inhaler technique assessment • One smoking habit assessment • Two Asthma Control Test (ACT) scores
COPD	• One inhaler technique assessment • One smoking habit assessment • One bodyweight measurement • One influenza vaccination

Screen 3 – New Submission

a) Select the Identification Type and enter the Patient NRIC/FIN.
b) Select the chronic disease applicable to this patient. You can select one or more diseases, as applicable.
c) Click on [Next] to proceed to the Clinical Indicators Form.

Patient Details:

Patient Name: *	Lee Yong Kun	***Patient NRIC/FIN:****	S1234567D
Date of Birth (DDMMYYYY):	22121970	Sex:	◉ Male ○ Female
Race:	Chinese	Height (Metres):	1.7 *(use 9.99 if not measurable)*
Current Smoker	◉ Yes ○ No	1990	Year Started Smoking(YYYY)

** denotes a mandatory field*

Known Medical History:

Medical Condition	Diagnosis Year	Medical Condition	Diagnosis Year
☑ Diabetes	2001 (YYYY)	☐ Hypertension	(YYYY)
☐ DM Retinopathy	(YYYY)	☐ Lipid Disorder	(YYYY)
☐ DM Nephropathy	(YYYY)	☐ Cerebrovascular Accident (CVA)	(YYYY)
☐ DM Foot Complications	(YYYY)	☐ Coronary Heart Disease (CHD)	(YYYY)
☐ Asthma	(YYYY)	☐ COPD	(YYYY)

Diabetes Treatment:

Treatment	Year Started	Treatment	Year Started
☑ Oral Medications	2002 (YYYY)	☐ Insulin	(YYYY)

Hypertension Treatment:

Treatment	Year Started
☐ Oral Medications	(YYYY)

Lipid Disorder Treatment

Treatment	Year Started
☐ Oral Medications	(YYYY)

Clinical Indicators:

Date of Visit (DDMMYYYY):*			
Blood Pressure (Systolic/Diastolic):	/	DM - Eye Assessment:	☐
LDL-C:	mg/dL	DM - Nephropathy Assessment:	☐
HbA1c (%):		DM - Foot Assessment:	☐
Weight (kg):	*(use 999 if not measurable)*	Stroke - Thromboembolism Risk Assessment:	☐
Cigarettes smoked per day (average):		Inhaler Technique Assessment (Asthma & COPD only):	☐
ACT Score (Asthma only):		Influenza Vaccination Assessment (COPD only):	☐

** denotes a mandatory field*

Add Indicators *Click to add clinical indicators (only those performed)*



Screen 4 – Clinical indicators Form

3.3 The Clinical Indicators Form consists of 4 sections:

a) Patient Details
b) Known Medical History
c) Clinical and Assessment Indicators
d) Attending Physician Information

4 Patient Details

4.1 This section details the patient's basic bio-data. If it is your first submission for the patient, only Patient NRIC, Name, Date of Birth, Sex, Race, and Current Smoker is required.

4.2 For subsequent submissions, only the Patient NRIC and Name are mandatory.

4.3 In the event of differences between two submissions, the data from the latest submission will be considered as the up-to-date information.



Screen 5 – Patient Details

	Data Item	Remarks
1	Patient Name	Patient's name as in NRIC
1.	Patient NRIC/FIN	Will be copied from previous screen
2.	Date of Birth	Patient's birthday (enter in DDMMYYYY format)
3.	Sex	Gender of patient
4.	Race	Ethnic group of patient
5.	Height (m)	Patient's height in metres (e.g. 1.75) and must be between 0.10 and 2.50 (inclusive) or 9.99 if not measurable
6.	Current Smoker	Whether patient is a current smoker
8.	Year Started Smoking	Year that patient started smoking (enter in YYYY format)

5 Known Medical History

5.1 This section details the patient's medical history.

5.2 If it is your first submission for the patient, please enter all the details.

5.3 For subsequent submissions, you can omit the details if there are no changes.

5.4 If you are unsure whether you have submitted the information, it is recommended you fill in the details.



Screen 6 – Known Medical History and Treatment Sections

5.5 Enter the relevant medical conditions for the patient. If a particular condition is selected, then the year of diagnosis is mandatory. You only need to fill in medical conditions that apply to the patient.

5.6 Depending on the medical condition indicated, different treatment sections will be available for input (see below):

Medical Condition	Diabetes Treatment	Hypertension Treatment	Lipid Disorder Treatment	Asthma Treatment	COPD Treatment
Diabetes	Available	Available	Available	X	X
Hypertension	X	Available	Available	X	X
Lipid Disorders	X	X	Available	X	X
Asthma	X	X	X	Available	X
COPD	X	X	X	X	Available
None of the above	X	X	X	X	X

6 Clinical Indicators and Assessment

6.1 This section enables you to enter the indicator measurement and assessment done on the patient over any period.

6.2 Only measurements and assessments not reported previously need to be entered in this section.

6.3 Initially there will be no clinical indicators added to the report.

6.4 Fill in all the clinical indicators and use the [Add Indicators] button to save them (as shown in Screen 7).

6.5 There must not be any unsaved data left in the Clinical Indicators Section before submitting the form.


Clinical Indicators:
Date of Visit (DD/MM/YYYY):*
Blood Pressure (Systolic/Diastolic):
LDL-C:
mg/dl
HbA1c (%):
Weight (kg):
(use 999 if not measurable)
Cigarettes smoked per day (average):
ACT Score (Asthma only):
DM - Eye Assessment:
DM - Nephropathy Assessment:
DM - Foot Assessment:
Stroke - Thromboembolism Risk Assessment:
Inhaler Technique Assessment (Asthma & COPD only):
* denotes a mandatory field
Add Indicators
Add all Clinical Indicators into the Table below after filling in the form above.
Date
Indicators
Value
11-May-2007 Systolic BP (mmHg) 150
11-May-2007 Diastolic BP(mmHg) 100
11-May-2007 LDL (mg/dl) 40
11 May 2007 HbA1c(%) 30
11-May-2007 Weight(kg) 90
11-May-2007 Cigarettes smoked per day(Avg) 10
11-May-2007 DM-Eye Assessment Y
11 May 2007 DM Nephropathy Assessment Y
11 May 2007 DM Foot Assessment Y
11-May-2007 Stroke-Thromboembolism Risk Assessment Y
Delete Indicators
Click to delete selected clinical indicators

Screen 7 – Filling in the Clinical Indicators

6.6 The list of Clinical Indicators and Assessments applicable are:

Clinical Indicators	Remarks
Glucose - (%)	Value must be between 0.1 and 40.0 (inclusive).
Blood Pressure - Diastolic BP	Value (in mmHg) must be between 20 and 200 (inclusive) and must be smaller than Systolic BP reading.
Blood Pressure - Systolic BP	Value (in mmHg) must be between 30 to 300 (inclusive).
Lipids – LDL-C	Value (in mg/dL) must be between 1 and 999 (inclusive). Value (in mmol/L) must be between 0.1 and 30.0 (inclusive). If measurement is attempted but not measurable due to high Triglyceride (TG) value, a reading of 999 (mg/dL) should be entered.
Lifestyle - Weight (kg)	Value (in kg) must be between 1.0 and 300.0 (inclusive) or 999 if not measurable.
Smoking - Cigarettes smoked per day (average)	Value must be between 0 to 1000.
Asthma - ACT Score	Value must be between 5 and 25 (inclusive) for patients who are aged 12 years and above. Value must be between 0 and 27 (inclusive) for patients who are aged between 4 to below 12 years old. Value must not be entered for patients who are aged below 4 years old.

Assessments/Screening	Remarks
DM - Eye Screening	Select and enter date of assessment if done. If assessment is not done during the reporting period, you need not enter anything. If the exact date of assessment is not known, please key in the date as 0101 (for DDMM). e.g. for an assessment done in 2006 you can key in 01012006. If the known date is March 2006, you can enter as 01032006
DM - Foot Screening	
DM - Nephropathy Screening	
Stroke - Thromboembolism Risk Assessment	
Inhaler TechniqueAssessment (Asthma & COPD only)	
Influenza Vaccination Assessment (COPD only)	


Click to sort the records.
Date
Indicators
Value
11-May-2007 Systolic BP(mmHg) 150
11-May-2007 Diastolic BP(mmHg) 100
11-May-2007 LDL(mg/dL) 40
11-May-2007 HbA1c(%) 30
11-May-2007 Weight(kg) 90
11-May-2007 Cigarettes smoked per day(Avg) 10
11-May-2007 DM-Eye Assessment Y
11-May-2007 DM-Nephropathy Assessment Y
11-May-2007 DM-Foot Assessment Y
11-May-2007 Stroke-Thromboembolism Risk Assessment Y
Delete Indicators
Click to delete selected clinical indicators
Delete after selecting the checkboxes of the unwanted Clinical Indicators.
All entries saved in the table will be submitted to the CIDC system.

Screen 8 – Clinical and Assessment Indicators

6.7 After saving the data, you can use the delete button to remove any mistakes.

6.8 By default, the data displayed is sorted by date of visit and indicators. You can also click on the "Indicators" and "Date" headers to sort the data according to your preference.

7 Attending Physician Information

7.1 This section details the physician attending to the patient. It is required for each submission.

7.2 If there is more than one physician attending to the patient, the main physician information should be entered here.



Screen 9 – Physician Information

	Data Item	Remarks
1.	Doctor Name	Full Name of Doctor
2.	Registration Number	The Doctor's MCR Number.
3.	Speciality/Training	Select the appropriate value from the drop down list if applicable.
4.	Healthcare Establishment	The Healthcare Establishment which is making the submission. It is tied to the user ID of the person making the submission and is defaulted based on the user ID establishment.
5.	Role	Indicate the role applicable.
6.	Name of Primary Physician	Only applicable when "None of the Above" is selected.

8 Report Submission

8.1 Once you have completed the data entry, you can submit the report to MOH by clicking on the [Submit] button.

8.2 If you are not yet ready to submit, you can click on the [Save Draft] button and retrieve the report later from the search function for submission.

The Table below describes the function for each button:

Button	Function Description
Submit	Submits the form after completion. Deletes any existing drafts saved previously.
Save Draft	Saves the unfinished form inputs as a draft for completion in the future.
Close	Closes the current form and returns to the main menu.

9 Search Clinical Indicator Reports

9.1 After you have submitted a report or created a draft, you can retrieve the reports at a later stage using the search function. This function allows you to specify search criteria and retrieve all reports matching the criteria.

9.2 After retrieving the report, you can also proceed to amends it if there was any mistake in the previous submission, or delete it altogether.

9.3 To access this function, click on the "Search" sub-menu under the "Clinical Indicators" main menu as shown on Screen 10.



Screen 10 – Search Menu

9.4 The Search page will be shown. Enter your search criteria and click on the [Search] button. The search is case insensitive.

9.5 At least one of the search criteria must be entered before you can proceed with the search.



Screen 11 – Search Criteria

	Criteria	Remarks
1.	Patient Name	All reports where the patient name matches are retrieved. A partial name is allowed, e.g. if Mark is entered, reports for all patients with Mark in their names are retrieved.
2.	Patient NRIC/FIN	All reports where the patient NRIC matches are retrieved
3.	From Date	All reports submitted from this date (inclusive) are retrieved
4.	To Date	All reports submitted up to this date (inclusive) are retrieved
5.	Sort By	Specifies the sorting sequence for the results

9.6 All submissions made by your clinic which match the criteria will be displayed as shown on Screen 12.



Screen 12 – Search Results

9.7 If the number of search results is too large, you can either specify more restrictive search criteria or use the page number to navigate through the results.

9.8 Click on the Patient Name hyperlink to view the report submitted.

9.9 When the [Amend] button is clicked, the selected record will be displayed in editable mode as shown on Screen 13.





Screen 13 – Editable Page of Patient Record

Button	Action
Amend	Re-submits all the data in the report.
Close	Closes the form.

10 CIDC Clinic Reports

10.1 This function provides standard report(s) for use by clinics. One report is currently available and additional reports may be added in future releases.

10.2 To access this function, click on the CIDC Clinics Reports under the Reports menu button. A page displaying all the available reports and their description will be loaded.


MEDIClaim
NCS0.NCS0001
Reports > CIDC Statistics Summary Reports
Chronic Diseases Claim
Clinical Indicators
Reports
Billing Details
CIDC Clinics Reports
Chronic Balance Enquiry
Chronic Payment Listing
CIDC Clinic Summary Reports:
F01 - List of Patient NRIC Nos Requiring Clinical Indicators Report Submission
Provides the list of NRIC for patients who have successful claims but no clinical indicators have been submitted by the clinic within the fixed 12 months period from the claim submission date.
Click on Reports menu and select CIDC Clinics Reports.

Screen 14 – CIDC Clinic Reports

10.3 List of NRICs for patients for whom Clinical Indicators have not been submitted

a) This report enables the clinics to have a listing of all the patients' NRICs for whom the clinics had made claims in the specified year but no clinical indicator reports were submitted within a fixed period of 12 months from the claim submission date of each patient. This report is built in to assist doctors and clinics to keep track of the outstanding clinical indicator reports they would require to submit with each claim.

b) Click on the report title from the list of available reports as shown on Screen 15. A report page with a textbox would appear for the user to key in the year of the requested report, as shown below.


MEDIClaim
NCS0.NCS0001
Reports > CIDC Statistics Summary Reports
Chronic Diseases Claim
Clinical Indicators
Reports
Billing Details
CIDC Clinics Reports
Chronic Balance Enquiry
Chronic Payment Listing
CIDC Clinic Summary Reports:
F01 - List of Patient NRIC Nos Requiring Clinical Indicators Report Submission
Provides the list of NRIC for patients who have successful claims but no clinical indicators have been submitted by the clinic within the fixed 12 months period from the claim submission date.
Click on a Report title from the list of available reports.

Screen 15 – Selecting a Report

c) Upon entering a valid year, a list of patient NRIC numbers will be generated. The report generated below shows the record of a patient who had a claim submitted but with no submission of any clinical indicator.



Screen 16 – Viewing a Report

11 Troubleshooting

11.1 Enabling of Pop Ups

a) Certain screens within the application will be displayed as pop up windows. In order to access the full system functionality, you need to enable pop up windows for the MediClaim website. To enable this feature, follow the steps below:

i. Select Tools>Pop-up Blocker> Pop-up Blocker Settings...



Screen 17 – Internet Explorer Menu

ii. Enter "*.medinet.gov.sg" and "*.moh.gov.sg", then click on Add.



Screen 18 – Configuring Pop-up Blocker

12 Fallback Procedures

12.1 In the event that the submission cannot be done online immediately, you can keep a record of the information and submit it at a later date.

13 Contact Information for Queries Related to Clinical Data Collection and Submission

13.1 For online e-service related technical queries, please e-mail to mediclaim@ncs.com.sg, or contact NCS at: 6776 9330 (Mon - Fri, excluding public holidays, 8:30 am to 6:00 pm).

13.2 For clinical data collection and submission issues related feedback, please email to moh_cds@moh.gov.sg (preferred method), or contact at: 6325 1757 (Mon - Fri, excluding public holidays, 8:30 am to 6:00 pm).

Frequently Asked Questions

A. Clinical Matters (New!):

For Doctors who have already registered into the Programme

Q1. Which chronic diseases are currently included under this Programme?

Diabetes Mellitus, Hypertension, Lipid disorders, Stroke, Asthma and COPD are currently included under this Programme.

Q2. I have a patient with Diabetes, Hyperlipidaemia and Asthma, which DMPs should I enrol him into?

Enrol him into both Diabetes AND Asthma DMPs. He will then be able to use Medisave to co-pay for the total bill for the treatment prescribed for all 3 conditions. However, the doctor will also need to submit outcome data based on the essential care components of Diabetes and Asthma. (Please refer to Chapter 3 for details.)

Q3. My patient has DM, however, he also has symptoms and signs of Hypothyroidism. Can I can use his Medisave to co-pay the thyroid function test?

No. In this instance, thyroid function test was done to screen for an associated disease and not for monitoring of the primary condition or its complication. Hence, it is suggested that his bill be itemised so that the patient can use cash to pay for the thyroid function test and Medisave to co-pay the rest of the bill which is related to DM care components. (Please refer to Chapter 3)

Q4. Who decides on the stipulated clinical care component?

The clinical care components were drawn from the Clinical Practice Guidelines, with inputs from professional bodies, which include leading specialists in the respective fields and respected primary care physicians. They were also endorsed by the Clinical Advisory Committee.

Q5. What if the patient has symptoms suggestive of both COPD and Asthma. Which DMP should I enrol him into?

For patients whose signs and symptoms are not so distinct between the two conditions, spirometry or/and bronchodilator reversibility testing may be performed to help classify the patient into one of the two diagnoses or to differentiate these conditions from other diseases that may mimic its presentation.

It is important to try to classify the patient into the correct DMP as this will help to determine the management of the patient and also prevent any issues with respect to the Medisave claims.

(Please refer to the Clinical Practice Guidelines for more information on diagnosis and management of Asthma and COPD).

Q6. Can the patient use Medisave to pay for pulmonary rehabilitation?

Yes, if and only if

a) The patient has been diagnosed to have COPD, AND
b) It is clinically deemed to be beneficial for the patient.

B. Registration Matters

For Doctors & Clinics who wish to be registered into the Programme:

Q1. What are the requirements to be on the Programme?

Clinics that wish to participate in the Programme must agree to:

a) Provide treatment to chronic disease patients through evidence-based DMPs. These Programmes will include MOH-recommended key treatment components.

b) Treat patient medical information with confidentiality.

c) Submit to MOH, with the informed consent of patient, data on patient care delivery on an annual basis or as specified by MOH, for the purpose of medical audits. Relevant aggregated performance data will be published to assist patients in making informed choices.

d) Be accredited under the Medisave for CDMP.

e) Be periodically reviewed and audited, both clinically and administratively. Any clinic / hospital that fails to satisfy the minimum standards of clinical performance set by MOH, will be asked to withdraw from the Programme.
(Please refer to Chapter Two: Clinical Programme).

Q2. How do I register for the Programme?

Clinics who are already in the Programme need not re-register for the Programme.

For clinics who are not in the Programme, they must submit the following forms for registration:

i. Application Form for Clinics to Participate in the Medisave for Chronic Disease Management Programme (by MOH)
ii. Direct Authorisation Credit Form (by CPF Board)
iii. GIRO Form (MediClaim charges by NCS)
iv. GIRO Form (Medisave charges by CPF Board)

These forms can be downloaded from the MOH website at http://www.moh.gov.sg/mohcorp/forms.aspx?id=94. Please complete the forms and return to MOH. MOH will despatch your forms and documents on your behalf to CPF Board and NCS.

Clinics participating in the Programme will also have to sign a Deed of Indemnity with the CPF Board.

Doctors need to be individually registered under the Programme in order to process Medisave claims for their patients. Doctors can do so by submitting the Application Form for Medical Professionals.

Q3. What will be the cost of registration and start-up?

Apart from computer hardware and Internet access subscription (which may already be in place), there is a one-time non-refundable cost of $203.30 for the security token to access the Medisave claims system. This security token is required only when using the MediClaim e-service.

You or your staff will need to attend a half-day training session on Medisave claims process, guidelines on Medisave use and the use of the MediClaim system. This training session is free-of-charge.

Q4. How do patients sign up for the Programme?

To qualify, patients need to be certified by a doctor to suffer from at least one of the approved chronic diseases. The certification is made by the doctor when the patient fills out the Medisave Authorisation Form that allows the doctor to make Medisave claims on the patient's behalf.

C. Medisave Claims, Reimbursement, Billing

For Doctors & Clinics who wish to be registered into the Programme:

Q1. In total, how much can patients claim from Medisave for chronic disease treatments?

Patients can claim up to $300 per Medisave account per year for outpatient treatment of the approved chronic diseases, regardless of the number of diseases they might have.

Q2. Whose Medisave account(s) can a patient make use of, other than his own?

Patients can use their own Medisave account(s) and the account(s) of their immediate family members (i.e. parents, children, spouse). In addition, patients who are Singapore citizens or PRs can also use the Medisave accounts of their grandchildren. Claims can be made once the family member has signed the relevant Medisave Authorisation Form.

Q3. What will be the exact level of deductible and co-payment? Are the levels different for packages and individual visits?

There is a $30 deductible and 15% co-payment of the bill balance for each claim that the patient has to pay in cash, regardless if the claim is for an individual visit or packaged treatment.

Q4. Who should submit Medisave claims?

Any of the permanent staff of a Medisave-accredited clinic who has attended the training sessions, i.e. doctors, nurses, counter staff, clinic managers etc, can submit the Medisave claims.

Q5. If the patient sees me for both a chronic disease and an acute illness at the same time, can the entire bill be claimed?

Medisave can only be used for treatment related to the six chronic diseases listed, subject to a cap of $300. If patient attendance is purely for an acute or unrelated condition, Medisave deduction is not allowed even though the patient may have the disease. Checks will be made during audits to ensure that claims are related to approved chronic conditions.

Q6. How does the annual cycle of the $300 limit apply? Is it calculated based on the time that the patient first seeks treatment under the scheme?

The $300 annual limit is reset from the start of each calendar year i.e. 1 Jan to 31 Dec.

Q7. Will Medisave use be allowed for purchasing equipment (e.g. blood pressure monitoring equipment, glucometer or strips, etc.)?

No. In line with existing Medisave guidelines, Medisave use does not cover equipment purchase, whether for chronic disease treatment or other uses.

Q8. How will I know if the patient has sufficient balance left for claims?

An enquiry function to check the withdrawal limit and overall account balance is available via the MediClaim e-service. Clinics may use this function to check the remaining balance of the Medisave account holder with his/ her consent.

Alternatively, you can request for the Medisave holders to show you a print-out or electronic statement of their current Medisave balance. They can obtain their current Medisave balance from the CPF Board's website (www.cpf.gov.sg) under My CPF Online Services - My Statement,

by logging in with their SingPass. Ask your patients to bring along a copy of the Medisave balance of the Medisave payers if you do not have a computer terminal at your clinic.

Q9. If the Medisave balance is insufficient to cover the costs, can the patient top up the difference in cash?

Yes.

Q10. Can the bill be split among two or more accounts according to a given percentage?

Yes, a claim can be shared by a maximum of 10 Medisave accounts.

Q11. What is the cost of making Medisave claims?

The current cost is $3.36 per transaction and has to be paid in cash. The cost is levied on the clinics and not from the patients. However, some clinics may decide to pass on this cost to their patients.

Q12. Why is there a transaction cost of $3.36?

The transaction cost consists of a $2.61 charge from CPF Board for processing each Medisave account and a $0.75 charge from NCS for use of the MediClaim system.

Q13. Can I transfer the cost per transaction ($3.36) to the patient?

You may choose to do so. However, medical institutions deciding to charge out the operational transaction cost should list this item in the bill as an administrative cost or apply a similar generic description. This fee has to be paid in cash.

Q14. Will patients have to pay the full amount upfront and then be reimbursed or can they make partial payment based on estimated Medisave payout?

This decision will lie upon the individual clinics. However, clinics should explain to their patients on the mode of payment clearly so as to avoid any confusion or unhappiness.

Q15. Can I accumulate several bills to be submitted as a single claim for the whole year so as to decrease the cost per transaction?

Yes. The deductible and co-payment is based on a per claim basis.

Q16. How will refunds for Medisave withdrawals be handled (e.g. if a patient opts out of a package)?

The clinic will have to amend the approved Medisave claim through the MediClaim system to return the money back to the relevant Medisave accounts. CPF Board will liaise with the clinics to debit and credit the amounts accordingly. Medisave will have first claim on any refunds. As for the amount of cash co-payment collected previously ($30 deductible and 15% co-payment on the bill balance), the clinic can refund the amount to the patient in cash.

Q17. If patients have signed up for the Programme, can they opt out of it at a later date? Do I need to refund the amount that he had paid up for a package?

Patients can opt out at a later date by informing the clinic from which he/she is receiving care. In terms of refund, it is a private arrangement between the provider and the patient. Patients should find out the provider's policy on refunds before signing up for packages. However, funds withdrawn from Medisave must be reimbursed to the Medisave accounts first.

Q18. Is Medisave withdrawal dependent on the patient having only one specific primary care provider?

No. Patients are encouraged to have continuity of care with one family physician but they are free to choose and switch providers. Hence, they can make Medisave claims at any Medisave-accredited clinic.

Q19. How will claims be made if a patient is referred to an unaccredited provider?

Medisave claims will not be allowed at an unaccredited clinics. However, the referring party can make arrangements to bill on behalf of his unaccredited partners. The referring party is expected to bear full responsibility for any such arrangements made.

Q20. How will the scheme apply to Permanent Residents and Foreigners?

Current Medisave rules apply. Patients can be Permanent Residents or Foreigners. As long as they have Medisave accounts or their immediate family members with Medisave accounts, they are eligible for the scheme.

Q21. How will the scheme apply to those who have an employer medical benefits or an existing comprehensive insurance plan?

Claims can be made under employer plans. This also applies to pensioners. Employer medical benefits or an existing comprehensive insurance plan can be used to cover the cost of the deductible and co-payment. Any amount in excess of the employer medical benefits or the insurance plan can be paid using Medisave. Clinics will have to liaise directly with their partnering employers for payment under employer plans as per their current arrangements.

Q22. What is the process of making Medisave claims like? Will it involve a huge change in my clinic operations?

The process is as follows:

1) The clinic/doctor should explain the following to patients suffering from any of the approved chronic diseases and their immediate family member(s) whose Medisave account(s) is/are being used (if any):
   - the treatment components
   - the cost of treatment
   - estimated amount that can be claimed from Medisave
   - the out-of-pocket cash payment that the patient will need to make
   - the charging of transaction fees

2) When the patient and/or his/her immediate family member(s) have decided to use Medisave for the bill, each Medisave account holder who wishes to make use of his/her Medisave account need to sign a Medisave Authorisation Form (MAF) to authorise the CPF Board to deduct his/her Medisave savings for the treatment of the patient. The authorisation can be made on a per treatment basis or over a period of months. It then stands until revoked in writing. Clinic/ Medical institution staff should witness the signing and verify the relationship(s) to the patient as stated in the MAF.

3) Clinics/Medical institutions can then submit the Medisave claims electronically to the CPF Board for processing via the MediClaim System.

4) Payment will be made daily to Medisave-accredited medical institutions via InterBank Giro (IBG) on the 3rd working day after the approval date of the Medisave claims.

Q23. Can GPs who are contracted by nursing homes to provide outpatient care for their residents help the ones suffering from one of the six listed chronic diseases make Medisave claims?

Yes, if the GP and his/her clinic are on the Programme. He/She can help the nursing home patients to make a Medisave claim for their outpatient chronic disease treatment(s) through his/her clinic.

D. Data Submission, Clinical Improvement And Audits

Q1. Why is the patient's medical and treatment history required?

The data collected will provide a better profile of patients on the CDMP. This information will be useful for fine-tuning for programme planning and management purposes.

Q2. Must the medical history be captured at each visit?

The items in the medical history data will only need to be captured once but should be updated as and when there are changes.

Q3. How do I record the actual year of diagnosis of patients with long standing chronic diseases?

The estimated year of diagnosis for the patient's chronic condition can be recorded if the exact year is not known.

Q4. Will data on all clinical parameters be required at every visit?

No. Only data on assessments or tests performed during the visit need to be captured.

Q5. Would I need to repeat a HbA_{1c} or LDL cholesterol if my patient is able to produce the results of a test done elsewhere?

You can submit the relevant details of your patient's test results that have been performed elsewhere instead of repeating the test. If you do so, please keep a copy of the record of the test results.

Q6. What if the patient is lost to follow up?

Please note it down in your clinical documentation. Alternatively, if you are using the web-based e-Service for data submission, you may also use the textbox to document this information (a textbox function is being developed for free text entry in the updated version of the e-Service). If you are using CMS for data submission, please contact your CMS provider for more details on capturing of this type of information electronically.

Q8. What if the patient refuses certain tests?

Tests are performed, when indicated, as part of the proper management of the chronic disease. As such, the physician should inform the patient as to the rationale and provide other key information regarding these tests. If the patient refuses the tests, please note this response in the patient's clinic notes

Q9. If I missed the previous deadline for submission of clinical data, do I still need to submit the data for that period?

Yes, you should still submit the relevant data for that period as well as the current data.

Q10. Which healthcare provider should submit clinical data if the patient makes Medisave claims at three different healthcare providers during one year?

It would be appropriate for each provider to collect relevant data for the care that has been provided, and to submit the data. If they are not able to make the submission, they should forward the data to the primary physician who is coordinating the care of the patient's chronic condition so that he / she may be updated and make the submission.

Q11. If a patient starts making Medisave claims from June onwards, must I submit clinical information captured before June?

You can capture the relevant clinical data of the patient. However, for the purpose of assessing the care process and outcome of the chronic condition, the period of one year (taken from the date when the patient first enrolled into the CDMP for the chronic condition) will be used.

Q12. My patient claimed Medisave for treatment of a chronic condition when he first consulted me on 5 Jan 2007, but paid cash for three subsequent visits (in Mar, Jul, Oct 2007) for the same chronic condition. Would I still need to submit clinical data for the latter three visits?

Yes, you should continue to submit the patient's clinical data on this chronic condition for one year from 5 Jan 2007

Q13. Can the clinical data submitted be shared by different healthcare providers within the same clinic / institution / cluster?

This will depend on the electronic Clinic Management System (if any) that is used by the healthcare institution.

Q14. If I have already fulfilled the number of care components for the chronic condition, do I still need to submit clinical data subsequently?

The care components are the essential aspects of medical care that are recommended for management of the chronic diseases. The data submission system allows you to submit more than the recommended number of care components.

Q15. Will clinical data submitted be shared with the providers?

The clinical data received will be used to monitor the success of the CDMP, and also to give feedback routinely to the registered clinics for quality improvement. The release of data back to the clinics will take place in phases. Each clinic will receive a periodic report of its own performance in each of the key areas for which data has been submitted. For example, a clinic will be able to compare its performance against the aggregated local and national performance. Over time, each clinic will also be able to track its own performance trends.

Q16. What will the clinical quality improvement process be like?

The clinical data that is monitored is useful for clinical quality improvement in the care of chronic conditions. When meaningfully used, it will empower patients to take charge of managing their chronic condition as guided and supervised by their family physician. This can improve compliance with the recommended care of the chronic condition(s) with better longer term outcomes.

Q17. What will the clinical audit process be like?

Periodic on-site audits will be carried out to ensure accuracy of clinical data submission and to ensure that minimum standards of performance are met. Due consideration will be given so that such audits do not disrupt clinic operations and patient care processes.

Summary of Use of Medisave for CDMP


Patient has one or more of the 6 chronic diseases with DMPs.
(Chapter 1)
Visits a clinic/doctor who is registered with "Medisave for CDMP"
(Chapter 3)
Patient is counselled on:
(i) Benefits of being on a DMP
(Chapter 1)
(ii) How he/she can draw on his/her Medisave (max of $300 per account per year) to help pay for management of these chronic disease(s).
(Chapter 3)
Patient consents and signs the Medisave Authorisation Form.
Patient is enrolled into the relevant DMPs
(Chapter 2)
DM DMP
HPT DMP
Lipid Disorders DMP
Stroke DMP
AND/OR
Asthma DMP
COPD DMP
Submit Clinical Data of Patient.
(See Chapters 4 & 5)
Submit Medisave claim for Patient.
(See Chapter 3)
(i) Data submitted reflects essential clinical care components in management of the chronic disease(s).
(ii) Feedback on aggregated data to clinic allows comparison & self-assessment of clinic's performance and identify areas in need of quality improvement.
(i) Allows patient to draw from his/her own or his/her family member's Medisave account(s) for outpatient treatment.
(ii) Leads to reduction in "out-of-pocket" payment upfront.